

1. In an integrated computer telephony system including a call routing system, a method for routing a call based on the identity of an originating source of said call, comprising the steps of:

receiving said call from said originating source;

directing said call according to said routing list.

detecting a directory number ~~of~~ said originating source;

```

retrieving a default routing list if said associated routing

```

list does not exist,

3. The method of claim 1, wherein said selecting a routing list step further comprises the steps of:

requesting said originating source to provide an identification code;

5 receiving said identification code;

retrieving an associated routing list for said identification code; and

retrieving a default routing list if said associated routing list does not exist.

10 4. The method of claim 1, wherein said integrated computer telephony system provides a calling line identification service and said selecting a routing list step further comprises the steps of:

receiving a calling line identification for said originating party;

15 retrieving an associated routing list for said calling line identification; and

retrieving a default routing list if said associated routing list does not exist.

00076839 "061597"

*Sub A2 D3*  
5. In a program module responsive to receiving communications for a personal number subscriber, a method for routing a communication to said subscriber, comprising the steps of:

maintaining plurality of routing lists, each said routing list being associated with at least one originating party and at least one personal number and comprising a plurality of directory numbers;

receiving a communication directed to a personal number from an originating party;

selecting a routing list associated with said personal number and said originating party; and

routing said call in accordance with said routing list.

*Sub A4*  
6. The method of claim 5, wherein said selecting a routing list step further comprises the steps of:

detecting a directory number for said originating party;

15 retrieving an associated routing list for said directory number; and

retrieving a default routing list if said associated routing list does not exist.

7. The method of claim 5, wherein said selecting a routing list step further comprises the steps of:

requesting said originating party to enter an identification code;

receiving said identification code;

retrieving an associated routing list for said identification code and said personal number; and

25 retrieving a default routing list if said associated routing list does not exist.

00076839 061697

8. The method of claim 7, wherein said selecting a routing list step further comprises selecting said routing list from a group of routing lists identified for said originating party based on the day of the week said communication is received.

5 9. The method of claim 7, wherein said selecting a routing list step further comprises selecting said routing list from a group of routing lists identified for said originating party based on time of day said communication is received.

10 10. The method of claim 7, wherein said selecting a routing list step further comprises selecting said routing list from a group of routing lists identified for said originating party based on the day of the week and the time of the day said communication is received.

08876839 061697

~~SWP  
A3  
ADY~~ 11. A computer system for routing calls for a personal number subscriber based on the CLID of an originator, comprising:

a processing unit;

5 a memory storage device operative to store a plurality of routing lists for said personal number subscriber, each said routing list comprising a plurality of directory numbers;

a receiving interface device coupled to said processing unit for receiving calls;

10 a transmitting interface device coupled to said processing unit for placing calls;

said processing unit being operative to:

receive a call on said interface device, said call being directed to said personal number subscriber;

detect a CLID for said originating party;

15 retrieve an associated routing list from said memory storage device for said CLID;

retrieve a default routing list from said memory storage device if said associated routing list does not exist; and

20 direct said call setup request in accordance with said routing list.

00076839 051697

Sub  
G7  
12. The computer system of claim 11, wherein said processing unit directs said call setup request by:

(a) selecting a first directory number from said routing list;

5 (b) routing said call to said first directory number;

(c) receiving communication disposition information from said first directory number; and

(d) if said communication disposition indicates said routing step failed, selecting a next directory number from said routing list  
10 and repeating steps (b)-(d) at said next directory number.

08876839 061697

Sub  
A4

13. A computer-readable medium on which is stored a computer program for selecting a routing list based on an identifying criteria, and a data file containing a plurality of routing lists for a called party, said computer program comprising instructions which, when  
5 executed by a computer, perform the steps of:  
receiving a communication for said called party;  
obtaining said identifying criteria;  
retrieving a routing list from said data file based on said  
identifying criteria; and  
10 directing said communication in accordance with said routing list.

14. The computer-readable medium recited in claim 13, wherein said identifying criteria comprises a CLID message and said step of obtaining an identifying criteria further comprises receiving said  
15 CLID message.

15. The computer-readable medium recited in Claim 13, wherein said identifying criteria comprises a DTMF code sequence and said step of obtaining an identifying criteria further comprises detecting said DTMF code sequences.

08876839-061697

16. The computer-readable medium recited in Claim 13, wherein said identifying criteria comprises a DTMF code sequence and said step of obtaining an identifying criteria further comprises the steps of:

5 providing keypad menu selection options to said called party; and

receiving a DTMF signal corresponding to a keypad menu selection from said called party.

add  
B8

add  
C9

add  
D6

00876839 061697